


Close Up Plugs For Unused Operator Openings

CLOSE UP PLUGS

Catalog #	Operator Description	Weight
XPPH3	3/4" NPSM	3/4 oz.
XPPH3-N4	3/4" NPSM Type 4	3/4 oz.



XPPH3
Black Anodized

Legend Plates

FEATURES

- Legend plates are anodized aluminum with engraved letters on black background (XNP).
- Stop has red and start has green background.
- Special engraved legend plates can be supplied.
- Legend plate has foam gasket backing for use with protective boots for sealing. Engraving 1 line only see Price List (XNPW).

SPECIFY LEGEND PLATE





Catalog #	Operator Description	Weight (oz.)
XNP	Specify Legend	1
XNPL	Specify Legend	1

LEGEND PLATES

Catalog #	Operator Description	Weight (oz.)
XNPWB	Black Blank Legend Plate	1
XNPWG	Green Blank Legend Plate	1
XNPWR	Red Blank Legend Plate	1
XNPW XL	Specify Legend	1

STANDARD MARKING

FOR PUSHBUTTON			FOR SELECTOR SWITCHES	
(BLANK)	SLOW	RESET	RUN-JOG	OPEN-OFF-CLOSE
START	OPEN	IN	HAND-AUTO	FAST-OFF-SLOW
INCH	CLOSE	OUT	FWD-REV	RUN-AUTO-JOG
STOP	UP	LEFT	FAST-SLOW	HAND-OFF-AUTO
RUN	JOG	RIGHT	OPEN-CLOSE	FWD-OFF-REV
FORWARD	ON	LOW	UP-DOWN	1-OFF-2
REVERSE	OFF	HIGH	OFF-ON	UP-OFF-DOWN
FAST	BACK	DOWN		
EMERGENCY STOP				



Pushbutton & Selector Switch Components



XHDPL
Padlock Device for Dual
Pushbutton

FEATURES

- Operator locking caps and actuator devices can be adapted to existing explosion proof operators.
- Simple installation requires removal of top cap and threading on the replacement unit.

PUSHBUTTON & SELECTOR SWITCH

Catalog #	Description	Weight (lbs.)
XHDPL	Padlock Device for Dual Pushbutton	¼
XHPL	Padlock Device to activate Pushbutton (Not Shown)	¼
XHSPL	Padlock Device for Selector Switch (Not Shown)	¼
XHPLG	Padlockable Pushbutton Cover (Not Shown)	¼

Operator Protective Boots

XBSB



Selector Switch Cap



XBB

Pushbutton Cap

FEATURES

- Molded silicone rubber, protective boots for use with explosion proof operators in extremely wet-dirty locations. Makes operators suitable for NEMA 3, 4, 4X, 5, 7, 9, 12,13 application.
- Boot and metal collar are an integral assembly available as a factory adder or a field replacement.
- Simple installation requires removal of existing cap and threading on the replacement.

PUSHBUTTON & SELECTOR SWITCH


Catalog #	Description	Weight (lbs.)
XBB	Black Pushbutton Cap	1 oz.
XBG	Green Pushbutton Cap	1 oz.
XBR	Red Pushbutton Cap	1 oz.
XBSB	Black Selector Switch Cap	1 oz.
XBSG	Green Selector Switch Cap	1 oz.
XBSR	Red Selector Switch Cap	1 oz.
XBPC	Clear Pilot Light Pushbutton Cap	1 oz.

NOTE To order as complete operator, add part # as suffix

Close Up Plugs For Unused Operator Openings

CLOSE UP PLUGS

Catalog #	Weight
XMPP	½ oz.



Legend Plates Standard Marking

LEGEND PLATES

Catalog #	Description	Weight
XMNP	Specify legend	½ oz.

STANDARD MARKING

FOR PUSHBUTTONS				FOR SELECTOR SWITCHES
(BLANK)	SLOW	RESET	START	RUN-JOG
OPEN	IN	INCH	CLOSE	HAND-AUTO
OUT	STOP	UP	LEFT	FWD-REV
RUN	JOG	RIGHT	FORWARD	FAST-SLOW
ON	LOW	REVERSE	OFF	OFF-ON
HIGH	FAST	BACK		OPEN-CLOSE
				UP-DOWN

